

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	7849	709/226,223,224,217,227.ccls.	USPAT	AND	ON	2006/02/05 16:37
L5	478	709/226,223,224,217,227.ccls. (server with synchron\$)	USPAT	AND	ON	2006/02/05 16:38
L6	26	709/226,223,224,217,227.ccls. (server with synchron\$) delay time\$stamp	USPAT	AND	ON	2006/02/05 16:39
L7	0	709/226,223,224,217,227.ccls. (server with synchron\$) delay time\$stamp (simultaneous\$ with transmit\$)	USPAT	AND	ON	2006/02/05 16:39
L8	2	((("5990883") or ("6025837")).PN. or ((W099/63759) or (W099/20008) or (W000/40028) or (W097/13368)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/05 16:40
L9	20	("5528304" "5635989" "5701451" "5721827" "5732216" "5758257" "5774664" "5790202" "5797001" "5848352").PN. OR ("5990883"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/05 16:40
L10	15507	(709/203,206,208,219,231,232,234, 239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40
L11	124	L10 and ((content adj2 deliver\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L12	434	L10 and (server\$ near2 synchroni\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L13	9	L11 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L14	21574	(709/203-208,213-219,231,232,234, 239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40
L15	164	L14 and ((content adj2 deliver\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40

L16	9	L15 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L17	301	L12 and content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L18	164	L14 and ((content adj2 deliver\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L19	40	((content adj2 deliver\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker)) and (server near4 synchroni\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L20	1	"6052718".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L21	80	L10 and ((content adj2 distribut\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L22	35	L21 and synchron\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L23	15507	(709/203,206,208,219,231,232,234, 239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40
L24	80	L23 and ((content adj2 distribut\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L25	15507	(709/203,206,208,219,231,232,234, 239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40

L26	80	L25 and ((content adj2 distribut\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L27	34	L26 and synchroni\$6	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L28	18	L27 and @ad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L29	21574	(709/203-208,213-219,231,232,234, 239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40
L30	77	L29 and @ad<"20011221" and (path near optim\$7)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L31	92	L29 and @ad<"20011221" and ((path or "response time") near optim\$7)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L32	42	L31 and synchron\$7	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L33	3	L31 and synchron\$7 and delay and timestamp	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L34	28	L31 and synchron\$7 and delay	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L35	609	709/248.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40

L36	76	(message\$1 near10 (timestamp\$1 or time\$1stamp\$1) near10 (queue or message\$1queue or messageQ))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L37	48	L36 server request	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L38	41	L37 server synchron\$7	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L39	465	Rinehart.xa.	USPAT	AND	ON	2006/02/05 16:40
L40	0	"Mark Rinehart".xa.	USPAT	AND	ON	2006/02/05 16:40
L41	132	"Rinehart, Mark".xa.	USPAT	AND	ON	2006/02/05 16:40
L42	585	"Rinehart, Mark".xp.	USPAT	AND	ON	2006/02/05 16:40
L43	4	"Rinehart, Mark".xp. miller.in.	USPAT	AND	ON	2006/02/05 16:40
L44	0	"Rinehart, Mark".xa. miller.in.	USPAT	AND	ON	2006/02/05 16:40
L45	1	"5727022".pn.	USPAT	AND	ON	2006/02/05 16:40
L46	586	"Rinehart, Mark".xp. or "Rinehart, Mark".xa. (ping\$pong)	USPAT	AND	ON	2006/02/05 16:40
L47	3	("Rinehart, Mark".xp. or "Rinehart, Mark".xa.) (ping\$pong)	USPAT	AND	ON	2006/02/05 16:40
L48	1	((content with delivery) same network) (ping\$pong)	USPAT	AND	ON	2006/02/05 16:40
L49	890	((content with delivery) same network)	USPAT	AND	ON	2006/02/05 16:40
L50	68	((content with delivery) same network) (synchroniz\$ with server) optimiz\$	USPAT	AND	ON	2006/02/05 16:40
L51	53	((content with delivery) same network) (synchroniz\$ with server) optimiz\$ (fast\$ or quick or quickest or quicker or latency or QoS) delay	USPAT	AND	ON	2006/02/05 16:40
L52	49	((content with delivery) same network) (synchroniz\$ with server) optimiz\$ (fast\$ or quick or quickest or quicker or latency or QoS) delay simultaneous\$	USPAT	AND	ON	2006/02/05 16:40
L53	62	((content with delivery) same network) (synchroniz\$ with server) optimiz\$ (fast\$ or quick or quickest or quicker or latency or QoS) delay simultaneous\$	US-PGPUB; EPO; JPO; IBM_TDB	AND	ON	2006/02/05 16:40

L54	15507	(709/203,206,208,219,231,232,234,239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40
L55	124	L54 and ((content adj2 deliver\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L56	434	L54 and (server\$ near2 synchroni\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L57	21574	(709/203-208,213-219,231,232,234,239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40
L58	164	L57 and ((content adj2 deliver\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L59	301	L56 and content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L60	80	L54 and ((content adj2 distribut\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L61	15507	(709/203,206,208,219,231,232,234,239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40
L62	15507	(709/203,206,208,219,231,232,234,239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40
L63	80	L62 and ((content adj2 distribut\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L64	34	L63 and synchroni\$6	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L65	21574	(709/203-208,213-219,231,232,234,239,248).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/05 16:40

L66	77	L65 and @ad<"20011221" and (path near optim\$7)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L67	92	L65 and @ad<"20011221" and ((path or "response time") near optim\$7)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L68	42	L67 and synchron\$7	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L69	0	"Mark Rinehart".xa.	USPAT	AND	ON	2006/02/05 16:40
L70	132	"Rinehart, Mark".xa.	USPAT	AND	ON	2006/02/05 16:40
L71	585	"Rinehart, Mark".xp.	USPAT	AND	ON	2006/02/05 16:40
L72	0	"Rinehart, Mark".xa. miller.in.	USPAT	AND	ON	2006/02/05 16:40
L73	586	"Rinehart, Mark".xp. or "Rinehart, Mark".xa. (ping\$pong)	USPAT	AND	ON	2006/02/05 16:40
L74	1	((content with delivery) same network) (ping\$pong)	USPAT	AND	ON	2006/02/05 16:40
L75	890	((content with delivery) same network)	USPAT	AND	ON	2006/02/05 16:40
L76	1	"6052718".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L77	1	"5727022".pn.	USPAT	AND	ON	2006/02/05 16:40
L78	2	((("5990883") or ("6025837")).PN. or ((W099/63759) or (W099/20008) or (W000/40028) or (W097/13368)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/05 16:40
L79	20	("5528304" "5635989" "5701451" "5721827" "5732216" "5758257" "5774664" "5790202" "5797001" "5848352").PN. OR ("5990883"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/05 16:40
L80	9	L55 and L56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40

L81	9	L58 and L56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L82	40	((content adj2 deliver\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker)) and (server near4 synchroni\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L83	35	L60 and synchron\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L84	80	L61 and ((content adj2 distribut\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L85	18	L64 and @ad<"20011221"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L86	3	L67 and synchron\$7 and delay and timestamp	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L87	28	L67 and synchron\$7 and delay	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L88	76	(message\$1 near10 (timestamp\$1 or time\$1stamp\$1) near10 (queue or message\$1queue or messageQ))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L89	48	L88 server request	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40

L90	41	L89 server synchron\$7	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L91	4	"Rinehart, Mark".xp. miller.in.	USPAT	AND	ON	2006/02/05 16:40
L92	3	("Rinehart, Mark".xp. or "Rinehart, Mark".xa.) (ping\$pong)	USPAT	AND	ON	2006/02/05 16:40
L93	68	((content with delivery) same network) (synchroniz\$ with server) optimiz\$	USPAT	AND	ON	2006/02/05 16:40
L94	53	((content with delivery) same network) (synchroniz\$ with server) optimiz\$ (fast\$ or quick or quickest or quicker or latency or QoS) delay	USPAT	AND	ON	2006/02/05 16:40
L95	49	((content with delivery) same network) (synchroniz\$ with server) optimiz\$ (fast\$ or quick or quickest or quicker or latency or QoS) delay simultaneous\$	USPAT	AND	ON	2006/02/05 16:40
L96	62	((content with delivery) same network) (synchroniz\$ with server) optimiz\$ (fast\$ or quick or quickest or quicker or latency or QoS) delay simultaneous\$	US-PGPUB; EPO; JPO; IBM_TDB	AND	ON	2006/02/05 16:40
L97	164	L57 and ((content adj2 deliver\$3) same (optim\$7 or fast\$3 or quick or quickest or quicker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/02/05 16:40
L98	465	Rinehart.xa.	USPAT	AND	ON	2006/02/05 16:40
L99	609	709/248.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/02/05 16:40
L100	5	(master adj server) (slave adj server) ((repl\$4 or respon\$4) with schedul\$3)	USPAT	AND	ON	2006/02/05 16:40
L101	9	(master adj server) (slave adj server) ((repl\$4 or respon\$4) with schedul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/02/05 16:40
L102	3	(master adj server) (slave adj server) ((repl\$4 or respon\$4) with schedul\$3) delay	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/02/05 16:40

L103	7	"6298381".pn. or "6795860".pn. or "6724733".pn. or "6718396".pn. or "6654807".pn. or "6598077".pn. or "6185598".pn.	USPAT	AND	ON	2006/02/05 16:40
L104	1	("6298381".pn. or "6795860".pn. or "6724733".pn. or "6718396".pn. or "6654807".pn. or "6598077".pn. or "6185598".pn.) synchroniz\$ delay	USPAT	AND	ON	2006/02/05 16:40
L105	3	("6298381".pn. or "6795860".pn. or "6724733".pn. or "6718396".pn. or "6654807".pn. or "6598077".pn. or "6185598".pn.) synchroniz\$	USPAT	AND	ON	2006/02/05 16:40